

Antenna for Wi-Fi and ZigBee Communications

SE-ANT-ZBWIFI-KIT



Simple Wireless Connectivity

- Used to connect a SolarEdge device to the monitoring platform via Wi-Fi
- Used to connect a SolarEdge device to Smart Energy devices via ZigBee communications
- Antenna external to inverter for wider range
- Wi-Fi and ZigBee stations are built into the SolarEdge device
- Indoor or outdoor usage
- 5 years warranty



COMPATIBLE INVERTERS	SExxx-xxxxxBxxx	
ELECTRICAL SPECIFICATIONS		UNIT
Frequency Range	2.4-2.5	GHz
Gain (Max)	5	dBi
Beam Width – Horizontal	360	Degrees
Beam Width – Vertical	50	Degrees
Maximum Input Power	5	W
put Impedance	50	Ohm
SWR	2.1:1	
olarization	Linear	
mpedance	50	Ohm
adiation	Omni Directional	
ntenna Type	Co-linear Dipole	
ntenna Design	Dipole Array	
pplication	Indoor\Outdoor	
NVIRONMENTAL SPECIFICATIONS		
perating Temperature	-40 to +140/ -40 to +60	°F/ °C
torage Humidity	10% to 90% non-condensing	
MECHANICAL SPECIFICATIONS		
Dimension (Height x Diameter)	8.7x0.5/222x13	In / mm
Veight	0.11 / 50	lbs / gr
Cable	RG174	
able length (Max)	53/ 135	In / cm
onnector	RP SMA	
nternal Material	PCB + spring	
Base Material	PC Lexan 503R-WH5151L or	
	WH8G952 Sabic	

^{*} Product is shipped 5 devices in a box